

**IN THE UNITED STATES DISTRICT COURT
FOR THE SOUTHERN DISTRICT OF WEST VIRGINIA
CHARLESTON DIVISION**

IN RE: ETHICON, INC. PELVIC REPAIR
SYSTEMS PRODUCTS LIABILITY
LITIGATION

Master File No. 2:12-MD-02327
MDL 2327

ETHICON WAVE 2 CASES LISTED IN
PLAINTIFFS' EXHIBIT A

JOSEPH R. GOODWIN U.S. DISTRICT
JUDGE

**NOTICE OF ADOPTION OF PRIOR DAUBERT RESPONSE REGARDING STEPHEN
M. FACTOR, M.D., FOR WAVE 2**

Come now the Defendants, and hereby adopt and incorporate by reference the *Daubert* response filed in relation to Stephen M. Factor, M.D., for Ethicon Wave 1, Dkt. 2135.

Defendants respectfully request that the Court deny Plaintiffs' motion, for the reasons expressed in the Wave 1 response briefing.

Dated: August 5, 2016

Respectfully submitted,

Christy D. Jones
Butler Snow LLP
1020 Highland Colony Parkway
Suite 1400 (39157)
P.O. Box 6010
Ridgeland, MS 39158-6010
(601) 985-4523
christy.jones@butlersnow.com

/s/ David B. Thomas
David B. Thomas (W.Va. Bar #3731)
Thomas Combs & Spann PLLC
300 Summers Street
Suite 1380 (25301)
P.O. Box 3824
Charleston, WV 25338
(304) 414-1807
dthomas@tcspllc.com

COUNSEL FOR DEFENDANTS
ETHICON, INC. AND JOHNSON & JOHNSON

CERTIFICATE OF SERVICE

I hereby certify that on this date, I electronically filed the foregoing document with the Clerk of the court using CM/ECF system which will send notification of such filing to the CM/ECF participants registered to receive service in this MDL.

/s/ Christy D. Jones

32140544.v1